

you can
Canon

iRC5185i
Multifunctional printer

Highly productive colour to help improve your business

Canon's most advanced office multifunctional printer to date, the flagship iRC5185i allows businesses to easily produce colour documents cost-effectively and securely - without the expense of outsourcing. Featuring superb finishing, integrated document accounting, and numerous user-friendly innovations, it helps your business achieve maximum productivity every working day.


High quality, high productivity

- Highly productive print performance with 51 pages per minute for colour and black and white.
- Innovative "one pass" scanning means both sides are scanned simultaneously for incredible speeds of 100 impressions per minute (300 dpi).
- Create quality colour documents at 1200 dpi with full support for PCL 6.
- Add impact to reports, presentations and marketing materials with professional finishing facilities including stapling, hole punching and booklet making.

Added control, extra versatility

- Supports the latest technologies, such as next generation "IP v6", and Web Services on Devices (WSD) on Microsoft Windows Vista, allowing features such as "network plug and play" and "job completion notification".

- Advanced security ensures compliance with Common Criteria (ISO15408) - the global standard for IT security. Features include secure watermark, encrypted PDF, personal mailboxes and secure printing.
- The new Access Management System (AMS) featured within uniFLOW Output Manager (UFOM) allows IT managers to create access profiles to devices functions (colour printing, fax, scan) for single users, groups, departments enabling organisations to control costs, and security.
- Canon's iWMC ensures simple set-up and ongoing management with time-saving features such as auto-problem notification for administrators e.g. low paper or toner.



Professional documents at speed.

Cost-effective colour.

iRC5185i

COLOUR

Specifications iRC5185i

Type	Desktop
Maximum Original Size	A3
Copy Sizes	305x457mm, A3, A4, A4R, A5R
Cassette	A5R- SRA3 (320x450mm), Envelopes
Stack Bypass	100x148mm to 320x457mm
Resolution	
Reading	600dpi x 600dpi
Copying	600dpi x 600dpi
Printing	1200dpi x 1200dpi (Text/Line only) 256 Gradations
Copy/Print Speed	
A4	51ppm BW 51ppm Full Colour
A3	26ppm BW 26ppm Full Colour
Magnification	
Zoom	25-400%
Fixed	25%, 50%, 71%, 100%, 141%, 200%, 400%
First copy time	
Black-and-White	6.2sec
Full Color	8.0sec
Warm-Up Time	4 minutes
Multiple Copies/Prints	1 to 9,999 sheets
Duplexing	Standard automatic stackless
Paper weight	
Cassette	64 to 209g/m ²
Stack Bypass	64 to 253g/m ²
Duplex	64 to 209g/m ²
Paper Capacity	
Standard	550 sheets x2 cassettes (80g/m ²) Stack Bypass: 100 sheets (80g/m ²) 550 sheets x2 cassettes (80g/m ²)
Optional	
Paper Deck	2,700 sheets (80g/m ²)
Total capacity	5,000 sheets
CPU	Canon Custom Processor, 666MHz+400MHz
Memory	1.5GB
Hard Disk Drive	80GB
Interface	Ethernet (100Base-TX/10Base-T), USB2.0
Power Supply	230V/6A/50Hz
Power Consumption	1.5 kW max.
Dimensions (WxDxH)	620 x 849 x 1,215mm (with ADF), 620 x 849 x 1,074mm (with Platen Cover)
Weight	147.5kg (with Image Reader-G1), 140.5kg (with Image Reader-F1), 127kg (with Image Reader-E1)
PRINT SPECIFICATION (STANDARD)	
PDL	PCL5c/6, PostScript3 Emulation and UFR II
Resolution	1200dpi x 1200dpi (Text/Line only), 600dpi x 600dpi
Memory	1.5GB (Uses Main unit RAM)
Hard Disk	80GB (Uses Main unit HDD)
CPU	666MHz & 400MHz (Uses Main unit CPU)
PS Fonts	Roman136
PCL Fonts	Roman80, Bitmap1, OCR2
Supported OS	
PCL	Windows 98/Me/2000/XP/Server2003/Vista
PS	Windows 98/Me/2000/XP/Server2003/Vista, Mac OSX (10.2.8 or later)
UFR II	Windows 2000/XP/Server2003/Vista, Mac OSX (10.2.8 or later)
Mac-PPD	Mac OS 9.1 or later
Interface	Ethernet (100Base-TX/10Base-T), USB 2.0
Network Protocol	TCP/IP (LPD/Port9100/WSD/IPP/PPS/SMB/FTP), IPX/SPX (NDS, Bindery), AppleTalk
Pull Scan	Network TWAIN Driver (75 to 600dpi 24bit color/8bit grayscale/Black & white)
SEND SPECIFICATION (STANDARD)	
Scan Speed (A4, 300dpi)	70ipm (Colour/B&W)/100ipm Duplex (Colour/BW) by Colour Image Reader-G1
Scan Resolution	100dpi, 150dpi, 200x100dpi, 200dpi, 200x400dpi, 300dpi, 400dpi, 600dpi
Destinations	E-Mail/Internet FAX (SMTP), PC (SMB, FTP, NCP), iWDM, WebDAV
Address book	LDAP, Local (Max.1800)
File Format	
Single page	TIFF, JPEG, PDF
Multi page	TIFF, PDF

DOCUMENT FEEDER (STANDARD FOR COLOUR IMAGE READER-F1/G1)	
Paper size	A3, A4, A4R, A5, A5R
Paper weight	
Single sided original	42 to 128 g/m ²
Double sided original	50 to 128 g/m ²
Max. Number of originals	100sheets (80 g/m ²)
Document Scanning speed (max.)	
Copy(A4)	51ipm (Colour/B&W)
Scan(A4, 300dpi)	70ipm (Colour/B&W)/100ipm Duplex (Colour/BW) by Colour Image Reader-G1
Dimensions (WxDxH)	
DF	576 x 552 x 255mm(F1), 615 x 560 x 260mm (G1)
Weight	Approx.29kg (F1), 36kg (G1)
CASSETTE FEEDING UNIT-Z2	
Type	2 Front-loading adjustable drawers
Paper Size	305 x 457mm, A3, A4, A4R, A5R
Paper Weight	64 to 209 g/m ²
Paper Capacity	550 sheets (80 g/m ²) x 2 cassettes
Dimensions(W x D x H)	620 x 705 x 312mm
Weight	Approx. 30kg
PAPER DECK-Y1	
Paper Size	A4
Paper Weight	64 to 209 g/m ²
Paper Capacity	2,700 sheets (80 g/m ²)
Dimensions(W x D x H)	324 x 569x 472 mm
Weight	Approx.30 kg
FINISHER-X1	
Number of trays	One tray
Tray capacity	
A4-A5R	1000 sheets
A3	500 Sheets
Staple position	Corner Staple
Staple capacity	A4: 50 sheets (80g/m ²) A3: 30 sheets (80g/m ²) Approx.16kg
Weight	
FINISHER-W1/SADDLE FINISHER-W2	
Number of trays	3 Trays
Tray capacity	
Tray A	250sheets Max (A4)
Tray B	1,300sheets Max (A4)
Tray C	2,450sheets Max (A4)
Staple position	Corner, Double, Saddle Stitch (W2 only)
Staple capacity	
A4	50 sheets (80g/m ²)
A3	30 sheets (80g/m ²)
Saddle Stitch Specifications (Saddle Finisher-W2 only)	
Paper size	305x457mm, A3, A4R
Staple capacity	1 to 15 sheets (60pages, 64-80g/m ²) 1 to 10 sheets(40pages, 81-105g/m ²)
Dimensions	
W1	672 x 656 x 1173mm
W2	672 x 656 x 1173mm
Weight	
W1	Approx.50kg
W2	Approx.70kg
OTHER ACCESSORIES	
	Colour Image Reader-G1 (DADF/one pass duplex scanning), Colour Image Reader-F1 (DADF), Colour Image Reader-E1(Platen cover), Barcode Printing Kit-A1 EUR/OTH, Web Access Software-E1, HDD Data Erase Kit-A1, HDD Data Encryption Kit-B1, Secure Watermark-A1, Encrypted Printing Software-C1, Super G3 FAX Board-V1 EUR, Plain Pedestal-E2 (230V), FL Cassette-X1 GP, Stamp Unit-B1, Stamp Ink Cartridge-C1, Copy Tray-N1, Copy Tray-M1, Staple CRG-J1GP Staple CRG-D3 GP (for Saddle stitch), Puncher Unit AG1(2hole) /AJ1 (4hole FRN)/AK1 (4hole SWE) ADF Access Handle-A1, Remote Operators Software Kit-A2, Voice Guidance Kit-B1, Voice Operation Kit-A1, Document Tray-J1, Key Switch Unit-A2, Card Reader-D1, Access Management System Kit-A1, Universal Send PDF Advanced & Security Feature Set-A1
Some images are simulated for clarity of reproduction. All data is based on Canon's standard testing methods. This leaflet and the specifications of the product have been developed prior to the date of product launch. Final specifications are subject to change without notice.™ and ©: All company and/or product names are trademarks and/or registered trademarks of their respective manufacturers in their markets and/or countries. Canon Recommends you use Canon Media for the best results. Please check media (paper) compatibility list to see which variety of paper/media is recommended. Canon's GENUINE logo means Quality all-round performance. For more information, go to www.canon-europe.com/Canon_Copier_Consumable_Technology	

you can
Canon

Canon Inc.
www.canon.com

Canon Europa N.V.
www.canon-europe.com



Conforms to the International Energy Star program as an MFP



Canon's GENUINE logo means quality all-round performance



Canon
Conservation Partner